WEST Search History

DATE: Monday, September 29, 2003

Set Name Query side by side		Hit Count Set Name result set	
$DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD;\ PLUR=YES;\ OP=OR$			
L7	(GMR or magnetorresistance) and ((pinned adj layer) with (different or cross\$3 or perpendicular or orthog\$7) with direction)	218	L7
L6	(pinned adj layer) with different with direction	53	L6
L5	L4 and (first adj direction)	42	L5
L4	L3 and (sensor or detector)	318	L4
L3	L2 and magnetoresistance	422	L3
L2	L1 and (magnetization with (vector\$1 or direction\$1))	821	L2
L1	(pinned adj layers) and magnetic	1302	L1

END OF SEARCH HISTORY

◆IEEE IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE Publications/Services Standards Conferences Careers/Jobs Welcome **United States Patent and Trademark Office** RELEASE 1.5 » Search Results Terms IEEE Quick Links Peer Review Welcome to IEEE Xplori Your search matched 34 of 974314 documents. O- Home O- What Can A maximum of **34** results are displayed, **15** to a page, sorted by **Relevance** in **descending** I Access? O- Log-out You may refine your search by editing the current search expression or entering a new one **Tables of Contents** the text box. Then click Search Again. O- Journals & Magazines pinned and layers and direction O- Conference **Proceedings** Search Again Standards Results: Search Journal or Magazine = JNL Conference = CNF Standard = STD O- By Author O- Basic 1 Hysteresis and interaction between the magnetic layers in O- Advanced spin valves **Member Services** Nioshioka, K.; Gangopadhyay, S.; Fujiwara, H.; Parker, M.; O- Join IEEE Magnetics, IEEE Transactions on , Volume: 31 Issue: 6 , Nov. 1995 O- Establish IEEE Page(s): 3949 -3951 Web Account O- Access the IEEE Member **Digital Library** [Abstract] [PDF Full-Text (308 KB)] IEEE JNL Print Format 2 Highly field-sensitive transverse-biased non-hysteretic spin valves Fujiwara, H.; Chun-Hong Hou; Nishioka, K.; Magnetics, IEEE Transactions on , Volume: 32 Issue: 5 , Sept. 1996 Page(s): 4603 -4605 [Abstract] [PDF Full-Text (256 KB)] **IEEE JNL** 3 Characterization of magnetic stability in spin valve test devices Hardner, H.T.; Magnetics, IEEE Transactions on , Volume: 36 Issue: 5 , Sept 2000 Page(s): 2584 -2586 [Abstract] [PDF Full-Text (60 KB)] **IEEE JNL**

4 Critical current hysteresis in low angle Y-Ba-Cu-O bicrystals Grimaldi, G.; Boffa, V.; Celentano, G.; Fabbri, F.; Gambardella, U.; Pace, S.; Petrisor, T.;

IEEE HOME SEARCE	HIEEE - SHOP : WEB ACCOUNT CONTACTIEEE
IEE	Welcome United States Patent and Trademark Office
Help FAQ Term Peer Review	s IEEE Quick Links • Search Results
Welcome to IEEE Xplore	
→ Home → What Can I Access? → Log-out	Your search matched 42 of 974314 documents. A maximum of 42 results are displayed, 25 to a page, sorted by Relevance in descending order.
Tables of Contents	You may refine your search by editing the current search expression or entering a new one the text box.
Journals & Magazines Conference Proceedings	Then click Search Again. GMR and integrated Search Again
O- Standards	Search Again
Search - By Author	Results: Journal or Magazine = JNL Conference = CNF Standard = STD
O- Basic O- Advanced	1 Thermally stable, low saturation field, low hysteresis, high GMR CoFe/Cu multilayers
Member Services	Wang, D.; Anderson, J.; Daughton, J.M.;
O- Join IEEE O- Establish IEEE Web Account	Magnetics, IEEE Transactions on , Volume: 33 Issue: 5 , Sept. 1997 Page(s): 3520 -3522
O- Access the IEEE Member Digital Library	[Abstract] [PDF Full-Text (276 KB)] IEEE JNL
	2 High sensitivity magnetic field sensor using GMR materials with integrated electronics
	Brown, J.L.; Circuits and Systems, 1995. ISCAS '95., 1995 IEEE International Symposium on, Volume: 3, 28 April-3 May 1995 Page(s): 1864 -1867 vol.3
	[Abstract] [PDF Full-Text (480 KB)] IEEE CNF
	3 Integrated GMR isolation technique Black, W.C., Jr.; Hermann, T.H.; Hui, S.; Circuits and Systems, 1996., IEEE 39th Midwest symposium on, Volume: 1, 18-21 Aug. 1996 Page(s): 127-130 vol.1
	[Abstract] [PDF Full-Text (380 KB)] IEEE CNF
	4 Wafer charging in process equipment and its relationship to GMR heads charging damage